

Broach

Reference Number: 2664

Machine:

Model: VT830

Serial: 1805

Year of MFG:

Description:

Pioneer Vertical Broach



Includes PA10 Auto Puller, Hi-Press Chip Wash Autolube, 8Ton Vertical Broach, 30" Stroke

Electrics:

Volts 480, RPM 1750, Amps 30, HP 20, Phase 3

Reference Number: 2385

Machine:

Model: VT-830

Serial: A-1299

Year of MFG:

Description:

Pioneer Vertical Broach



With VRFR 830 Retriever, Hydraulic Cylinder Shrader, MFIHS448875x31, 8 Ton and 30" stroke capacity.

Electrics:

Volts 480, Cycle 60, Phase 3

Reference Number: 2025

Machine:

Model: VT 315A

Serial: A-1711

Year of MFG:

Description:

Pioneer Vertical Broach

This machine is equipped with an autoloading mechanism. Allen Bradley PLC controlled, With autoloader. 2 Ton, 15 inch stroke. broach puller head. Pick and place robot loads part from conveyer to broach, executes cycle and automatic broach retriever holds broach until part is removed and placed on removal conveyance for cycle to begin again. Maintenance Records, Installation Instructions and Operators Manual for VT315-Standard Pioneer Vertical Broaching Machine and Drawings are Available

Electrics:

480 Volts, RPM 1745, AMPS 13.5, HP 5 Phase 3



Reference Number: 1866

Machine:

Model: VT-315-B

Serial: A-1707

Year of MFG:

Description:

Pioneer Vertical Broach



Vertical Broach, Platform with Step, Broach Unit and Hydraulic Unit; Broaching Machine Unit Including: cutting oil reservoir, electrical switches and stroke control 15 inch stroke 2 ton pull. Includes Broach retriever.

Electrics:

Volts 230/460, RPM 1745, AMPS 13.5/6.75, HP 5, Cycle 60, Phase 3