

## ***Lathe, CNC***

3022

Cincinnati NightHawk

NIGHTHAWK250

3641B0194-0013

1994



Cincinnati Nighthawk CNC Lathe

Spindle , Tool Capacity 12, Control Siemens Acramatic 850SX, Max Spindle RPM 6000, Spindle HP 20, X Travel 12.6", Z Travel 13.8", Rapid Traverse ipm 1200, with Chip Conveyor

480 Volts, KVA, Amps, 3 Phase, 60 Hertz, 20 HP

3021

Cincinnati NightHawk

NIGHTHAWK250

3641B0194-0001

1994



Cincinnati Nighthawk CNC Lathe

Spindle , Tool Capacity 12, Control Siemens Acramatic 850SX, Max Spindle RPM 6000, Spindle HP 20, X Travel 12.6", Z Travel 13.8", Rapid Traverse ipm 1200, with Chip Conveyor

480 Volts, KVA, Amps, 3 Phase, 60 Hertz, 20 HP

3002

Miyano LZ-02

LZ-02

LZ020010

1997



Miyano Self Loading CNC Chucker

Spindle A2-6, Tool Capacity 8, Control Fanuc 21-T, Max Spindle RPM 4000, Spindle HP 15, X Travel 8.4", Z Travel 10.4", Rapid Traverse ipm 630

480 Volts, 18 KVA, 25 Amps, 3 Phase, 60 Hertz, 15HP

3001

Miyano LZ-02

LZ-02

LZ020008

1997



Miyano Self Loading CNC Chucker

Spindle A2-6, Tool Capacity 8, Control Fanuc 21-T, Max Spindle RPM 4000, Spindle HP 15, X Travel 8.4", Z Travel 10.4", Rapid Traverse ipm 630

480 Volts, 18 KVA, 25 Amps, 3 Phase, 60 Hertz, 15HP

2758

Miyano LZ-02

LZ-02

LZ020023

1997



Miyano Self Loading CNC Chucker

Spindle A2-6, Tool Capacity 8, Control Fanuc 21-T, Max Spindle RPM 4000, Spindle HP 15, X Travel 8.4", Z Travel 10.4", Rapid Traverse ipm 630

480 Volts, 18 KVA, 25 Amps, 3 Phase, 60 Hertz, 15HP

2725

Miyano LZ-02

LZ-02

LZ020004

1997



Miyano Self Loading CNC Chucker

Spindle A2-6, Tool Capacity 8, Control Fanuc 21-T, Max Spindle RPM 4000, Spindle HP 15, X Travel 8.4", Z Travel 10.4", Rapid Traverse ipm 630

480 Volts, 18 KVA, 25 Amps, 3 Phase, 60 Hertz, 15HP

2172

Okuma Cadet

LNC-8

B006

1995



Okuma CNC 2 Axis Lathe

Spindle A2-6, Tool Capacity 12, Control Okuma 5020L, Max Spindle RPM 4200, Spindle HP 15, X Travel 7", Z Travel 20.4", Rapid Traverse ipm 472, with Chip Conveyor

2157

Cincinnati Talon

TALON 208

6808U08-91-005

1991



Cincinnati Talon CNC Lathe

Spindle A2-6, Tool Capacity 12, Control Siemens Acramatic 850SX, Max Spindle RPM 4500, Spindle HP 20, X Travel 6.8", Z Travel 23.6", Rapid Traverse ipm 600, with Chip Conveyor

480 Volts, 40KVA, 48Amps, 3 Phase, 60 Hertz, 20 HP

2141

Cincinnati NightHawk

NIGHTHAWK250

3641B0194-0002

1994



Cincinnati Nighthawk CNC Lathe

Spindle , Tool Capacity 12, Control Siemens Acramatic 850SX, Max Spindle RPM 6000, Spindle HP 20, X Travel 12.6", Z Travel 13.8", Rapid Traverse ipm 1200, with Chip Conveyor

480 Volts, KVA, Amps, 3 Phase, 60 Hertz, 20 HP

1984

Kitako TM1-52

TM1-52

90070

1992



Kitako CNC Lathe

Spindle A2-6, Tool Capacity 8, Control FANUC O-T, Max Spindle RPM 3000, Spindle HP 14, X Travel 9.8", Z Travel 11.8", Rapid Traverse ipm, with Chip Conveyor

1983

Kitako TM1-52

TM1-52

90069

1992



Kitako CNC Lathe

Spindle A2-6, Tool Capacity 8, Control Fanuc O-T, Max Spindle RPM 3000, Spindle HP 14, X Travel 9.8", Z Travel 11.8", Rapid Traverse ipm, with Chip Conveyor

1718

Okuma LB-15

LB-15

4001

1986



Okuma CNC 2 Axis Lathe

Spindle A2-6, Tool Capacity 12, Control Okuma 5020L, Max Spindle RPM 4200, Spindle HP 15, X Travel 7", Z Travel 20.4", Rapid Traverse ipm 472, with Chip Conveyor