

## *Misc Equipment*

**Reference Number:** 1645

**Machine:**

**Model:** M-2120

**Serial:** 1331230

**Year of MFG:** 1954

**Description:**

No. 11 Tapping Machine



Table size 13" X 16", 2 Speed gear motor, right left hand threading, coolant system, spindle speed 70-960

**Electrics:**

Volts 220, RPM 1610/750, HP 1.5, Cycle 60, Phase 3

**Reference Number:** 1075

**Machine:**

**Model:** MDSI SERIES I

**Serial:** 59024

**Year of MFG:** 1979

**Description:**

N/C Tape Prep System



Disk Drive - 360 RPM, 8", 64 Blocks, 157K Prnter Terminal - 45 Characters/Sec. Dot Matrix Desktop Printer Termal, Operation up to 300 Baus, Special Function Keys LIN LOC.-300 Speed 110-VIEW-CTRL-ESC-SET. - BELL

**Electrics:**

Volts 115/230, Amps .67, Cycle 60, Phase 1

**Reference Number:** 1461

**Machine:**

**Model:**

**Serial:**

**Year of MFG:**

**Description:**

Oil Storage tank

oil tank

**Electrics:**

**Reference Number:** 2264

**Machine:**

**Model:** 16468-1

**Serial:** 12-0102

**Year of MFG:**

**Description:**

Halogen Vacuum Leak Detector

Leak detector for R-12 and R-22 Freon

**Electrics:**

Volts 120

**Reference Number:** 1096

**Machine:**

**Model:** FA-1

**Serial:** HF-4053

**Year of MFG:**

**Description:**

Hulco Oil Sep0Rator

Temp control, PSI Grade

**Electrics:**

RPM - 1725, 2,000 Watts, Cycle 60, HP 1/3

**Reference Number:** 1272

**Machine:**

**Model:**

**Serial:** 56-251

**Year of MFG:**

**Description:**

Sundstand



Comments: S Location Desc - MIDDLE RIGHT SIDE.

**Electrics:**

**Reference Number:** 1277

**Machine:**

**Model:** 100-AML

**Serial:** 3779

**Year of MFG:** 1954

**Description:**

Automatic Bar Feed

15' , Magazine Loading and Air Operated. 3/4" bar maximum size. 21 bars at 3/4" or 96 bars at 1/8". Complete manuals and parts lists.

**Electrics:**



**Reference Number:** 1287

**Machine:**

**Model:** 100215

**Serial:** 2005

**Year of MFG:** 1978

**Description:**

Clamping System

**Electrics:**

RPM - 1725

**Reference Number:** 1462

**Machine:**

**Model:** TYPE RS 2 1/2

**Serial:** 14743

**Year of MFG:**

**Description:**

Open Back Inclinable Press



8" between gibbs; 9 1/2 x 16 1/2 bolster; floor type; 2 hand air trips, with 6 wheel counter, V belt Drive

**Electrics:**

RPM 1200, AMPS 2, HP 1, Phase 3

**Reference Number:** 1004

**Machine:**

**Model:** 2150

**Serial:**

**Year of MFG:**

**Description:**

Hydraulic Dockboard



Hand operated loading dock, Cap-35,000.00#, with cushion bumpers, one foot above one foot below dock operation. Dimensions: 6' long 6' wide, lip is 16" wide extending 1' beyond bumpers

**Electrics:**

**Reference Number:** 1643

**Machine:**

**Model:** M20-455

**Serial:** 89-1028-11

**Year of MFG:**

**Description:**

Milwaukee Tool Setting Mach.

Optical Measurement Devices

**Electrics:**

Volts 110, Cycle 60, Phase 3



**Reference Number:** 2128

**Machine:**

**Model:** 2104-TC

**Serial:**

**Year of MFG:**

**Description:**

Re-Tapper

May need new drive wheels. 1/2" chuck

**Electrics:**

HP-1/4, Amps 5.4, Volts 120, Cycle-60



**Reference Number:** 1648

**Machine:**

**Model:**

**Serial:**

**Year of MFG:** 1984

**Description:**

Erickson Indexer



**Electrics:**

**Reference Number:** 1652

**Machine:**

**Model:** H-360

**Serial:**

**Year of MFG:**

**Description:**

360 Degree Indexer for 1644 Monarch



Indexer with tail stock and Serro Dive & Control box

**Electrics:**

**Reference Number:** 1656

**Machine:**

**Model:** 2406.000-00

**Serial:** 360

**Year of MFG:** 1984

**Description:**

Adjust. Multi Spdl. Drill Head

Heavy Duty V-Joint drive. Adjustable multiple spindle drill head, Package includes mounting and drive assemble, cartridge assemblies, master bushing plate and guild rod.

**Electrics:**

**Reference Number:** 1684

**Machine:**

**Model:** OP2-48

**Serial:**

**Year of MFG:**

**Description:**

Vapor Degreaser



Vapor degreaser. Working zone 4'L X 2'6"W X 3' D Heaters are 460 volt 3PH 34 Amp.

**Electrics:**

Volts 460, Cycle 60, Phase 3, Amps 34

**Reference Number:** 1721

**Machine:**

**Model:** SB 911

**Serial:** 43682

**Year of MFG:**

**Description:**

Demagnetizing Unit

9" Diameter

**Electrics:**

Volts 220, Amps 50, Phase 1



**Reference Number:** 1753

**Machine:**

**Model:**

**Serial:** B2142

**Year of MFG:** 1987

**Description:**

Doer Tapping Machine

Doerr Motor

**Electrics:**

Volts 220/440, RPM 1725, AMPS 2/1, HP 1/2, Cycle 60, Phase 3



**Reference Number:** 1788

**Machine:**

**Model:** M2120 LOT 47B

**Serial:** 1510412

**Year of MFG:** 1956

**Description:**

Precision Tapping and Threading Machine



Capacity 8-36 to 5/8" NC/NF IN Steel, 4 Spindle Speeds, Work Stroke 70 RPM to 466 RPM, Return Stroke 144 RPM to 960 RPM, V-Belted Pulley; 21-3/4" x 39-3/4" table with 2 T-slots and coolant tray bolted on to the regular table which is 17" x 12-1/2" iwht 3 T-slots; Table Raising Mechanism

**Electrics:**

Volts 440, RPM 1725, AMPS 1.55, HP 1/.5, Cycle 60, Phase 3

**Reference Number:** 1833

**Machine:**

**Model:** 15102-B

**Serial:** 41833

**Year of MFG:** 1989

**Description:**

Vacuum Pump, Air Cond.

**Electrics:**

Volts 115, RPM 1725, Amps 6.2, HP 1/4, Cycle 60, Phase 1

**Reference Number:** 1967

**Machine:**

**Model:** H 2025 C

**Serial:** H20258405.

**Year of MFG:** 1992

**Description:**

Vibratory Tumbler



The heated dip tank / conveyor is still in bldg 8 for Tim Sweny to use. Everything else is in the warehouse. Unit includes control panel and pressurized lub system.

**Electrics:**

Volts 460, Amps 49, Cycle-60, Phase-3

**Reference Number:** 1635

**Machine:**

**Model:** ANQ-483

**Serial:** 42786

**Year of MFG:** 1942

**Description:**

Inspection Unit



Wet Unit, 3000 AMP 48" HEAD./ Longitudonal or circular magnetization, continous method. Damage capacity 9" DIA/ ADJ. High/Low current/ Circular Mag. Capacity 8" Dia. 1975 Magnaflux M-500 Mobile Test. In fair condition.

**Electrics:**

Volts 220, AMPS 90, Cycle 60, Phase 3